



APP F Mask

Spraying Works Dedicated Masking Film

APP No. 070501, 070504, 070510

Masking film to be placed on car body parts and windows before commencement of works related to top coat and base coat application. It provides efficient protection against contamination.

Film 4 or 4.5m wide enables quick and precise covering of whole car body by a single person.

FEATURES:



Adheres very well to car body.



Resistant to humidity and high. temperatures.



Electrostatic.



Resistant to flaking of sprayed primer, base coat and top coat.



APP Sp. z o.o.

ul. Przemysłowa 10, 62-300 Września Biuro Obsługi Klienta: tel. +48 61 437 00 20, bok@app.com.pl







APP F Mask

Spraying Works Dedicated Masking Film

Lacquer films in the APP range:







Product name	APP F Mask	APP FE 9 Mask	APP FE Mask
APP No.	070501, 070504, 0705010	070525, 070526, 070527, 070528	070520, 070521, 070522
Thickness	10 mikr.	9 mikr.	7 mikr.
Dimensions	4 m x 150 m (APP No. 070501) 4,5 m x 134 m (APP No. 070504) 4 m x 300 m (APP No. 070510)	4 m x 150 m (APP No. 070525) 4 m x 300 m (APP No. 070526) 5 m x 120 m (APP No. 070527) 6 m x 100 m (APP No. 070528)	4 m x 150 m (APP No. 070520) 4 m x 300 m (APP No. 070521) 5,8 m x 100 m (APP No. 070522)

Related products:



APP F Cut (APP No. 170199, 170200) Masking foil cutter



NTools Foil Cart (APP No. 170207) Foil Cart - For masking foil 2in1, 13kg, 1560 x 670 x 800mm



APP M Cut (APP No. 170195) Masking film cutter with magnet











APP F Mask

Spraying Works Dedicated Masking Film



For passenger cars.



For sedan vehicles.

USE:

Masking film shall be placed on dry car body only.

In case of wet surface, firstly wipe the car body dry. Placing the masking film on wet surface or top coat at high temperature may results in some traces caused by water evaporation...

FOR PROPER PLACEMENT ONE SIDE OF MASKING FILM IS PROVIDED WITH CLEAR LOGO: APP F MASK.

ADVANTAGES	FACILITATES CAR BODY MASKING BEFORE WORKS RELATED TO SPRAYING	REDUCES TIME FOR PREPARATORY WORKS RELATED TO CAR BODY PROTECTION	REDUCES COSTS	REDUCES USE OF TAPES
	ADHERES PRECISELY TO CAR BODY	DOES NOT CAUSE DAMAGE OF TOP COAT	EASY TO REMOVE	REDUCES WASTES BY 80%

APP No.	Product Description	Thickness	Size	Qty
070501	APP F Mask –Spraying Works Dedicated Masking Film	10 micron	4 x 150 m	1 item
070504	APP F Mask - Spraying Works Dedicated Masking Film	10 micron	4,5 x 134 m	1 item
070510	APP F Mask - Spraying Works Dedicated Masking Film	10 micron	4 x 300 m	1 item

APP Sp. z o.o. ul. Przemysłowa 10, 62-300 Września





16.10.2020

