

APP FE 9 Mask



Paint masking film

APP No. 070525 - 070528

Masking film for painting is used for masking undamaged parts of the car body and windows during spraying primers and topcoats. It protects them from overspraying.

Wide (4, 5 or 6 m) film allows one person to cover the entire car very quickly and thoroughly.

MAIN FEATURES:



Adapts very well to the shape of the car body.



Resistant to moisture and high temperatures.



Electrostatic.



The surface of the masking film is resistant to flaking of sprayed primer, base coat, and topcoat.



FE 9 MASK

Lakiernicza folia maskująca Paint masking film Ариесктопе Пленка защитно-маскировочная

APP Sp. z o.o.

ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl

www.APP.com.pl





14.03.2025



FE MASK





APP FE 9 Mask



Paint masking film

Lacquer films in the APP range:







Product name	APP F Mask	APP FE 9 Mask	APP FE Mask
APP No.	070501, 070504, 0705010	070525, 070526, 070527, 070528	070520, 070521, 070522
Thickness	10 mikr.	9 mikr.	7 mikr.
Dimensions	4 m x 150 m (APP No. 070501) 4,5 m x 134 m (APP No. 070504) 4 m x 300 m (APP No. 070510)	4 m x 150 m (APP No. 070525) 4 m x 300 m (APP No. 070526) 5 m x 120 m (APP No. 070527) 6 m x 100 m (APP No. 070528)	4 m x 150 m (APP No. 070520) 4 m x 300 m (APP No. 070521) 5,8 m x 100 m (APP No. 070522)

Related products:



APP F Cut (APP No. 170199, 170200) Masking foil cutter

www.APP.com.pl



NTools Foil Cart (APP No. 170207) Foil Cart - For masking foil 2in1, 13kg, 1560 x 670 x 800mm



APP M Cut (APP No. 170195) Masking film cutter with magnet













APP FE 9 Mask

Paint masking film

4 m




Width suitable for segments A-C.

5 m



Width suitable for segments C-D.

6 m



Width suitable for cars in the D segment upwards.

Application:

The masking film should only be applied to a dry car body.

If the paint surface is wet or damp, it must be wiped dry.

Leaving the film on a damp surface for too long, especially on a heated paint surface, may cause marks on the car body due to water evaporation.

Proper placement of the film is ensured when the text "APP FE MASK" is clearly visible.

THE FILM MAKES IT **REDUCES REDUCES THE TIME** REDUCES THE NUMBER **EASIER TO MASK THE CAR NEEDED TO PROTECT** COSTS OF VARNISHING MATERIAL **BEFORE PAINTING** THE CAR BODY **USED PRECISELY ADHERES TO DOES NOT CAUSE EASY TO REMOVE FROM REDUCES THE AMOUNT** THE SHAPE OF THE CAR **TEARING OFF** THE VEHICLE **OF WASTE BY 80%** OF THE METALLIC BASE **BODY**

APP No.	Product name	Thickness	Size	Quantity
070525	APP FE 9 Mask - Paint masking film	9 mikr.	4 x 150 m	1 pc.
070526	APP FE 9 Mask - Paint masking film	9 mikr.	4 x 300 m	1 pc.
070527	APP FE 9 Mask - Paint masking film	9 mikr.	5 x 120 m	1 pc.
070528	APP FE 9 Mask - Paint masking film	9 mikr.	6 x 100 m	1 pc.

APP Sp. z o.o.

Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl www.APP.com.pl







14.03.2025