

2CUT ▲

Open-cell polishing sponge



The sponge is made of open-cell foam, which, thanks to its specific design, increases the polishing power, while stabilising the temperature during use. The safe height of the sponge (h=25 mm) and the bevelled side profile allow for greater safety when working in hard-to-reach areas. The open-cell design prevents the sponge from becoming too hot, extends its durability and ensures that the polishing paste does not clog it. APP for AD 2Cut is designed for both rotary motion machines and Dual Action polishing machines. Hook-and-loop fastening facilitates changes while working on the paintwork.

APP for AD 2Cut is a very hard polishing pad with highly abrasive properties. Works great on all types of paintwork. It achieves the greatest efficiency and finish when combined with the dedicated APP for AD Cut polishing paste.

ADVANTAGES:

▲ OPEN CELL STRUCTURE

▲ EXTENDED DURABILITY

▲ SEVERELY LIMITED HEATING

▲ BEVELED SIDE PROFILE - FACILITATES ACCESS TO HARD TO REACH PLACES

▲ OPTIMUM HEIGHT - ALLOWS COMFORTABLE DRIVING OF THE MACHINE

APP Nr	Product name	Type	Size	Quantity
080128	APP for AD 2Cut - Open-cell polishing sponge, Velcro, violet	hard	d38/45 h15	6 pcs.
080129	APP for AD 2Cut - Open-cell polishing sponge, Velcro, violet	hard	d50/60 h20	6 pcs.
080130	APP for AD 2Cut - Open-cell polishing sponge, Velcro, violet	hard	d75/90 h25	2 pcs.
080131	APP for AD 2Cut - Open-cell polishing sponge, Velcro, violet	hard	d125/140 h25	2 pcs.
080132	APP for AD 2Cut - Open-cell polishing sponge, Velcro, violet	hard	d150/165 h25	2 pcs.



2POLISH.

Open-cell polishing sponge



The sponge is made of open-cell foam, which, thanks to its specific design, increases the polishing power, while stabilising the temperature during use. The safe height of the sponge (h=25 mm) and the bevelled side profile allow for greater safety when working in hard-to-reach areas. The open-cell design prevents the sponge from becoming too hot, extends its durability and ensures that the polishing paste does not clog it. APP for AD 2Polish is designed for both rotary motion machines and Dual Action polishing machines. Hook-and-loop fastening facilitates changes while working on the paintwork.

APP for AD 2Polish is ideal for all lacquer coatings of medium hardness. We recommend using the sponge in combination with the dedicated APP for AD Cut paste (for hard or heavily damaged lacquers) or APP for AD Polish (for soft or less damaged lacquer coats).

ADVANTAGES:

■ OPEN CELL STRUCTURE

■ EXTENDED DURABILITY

■ SEVERELY LIMITED HEATING

■ BEVELED SIDE PROFILE - FACILITATES ACCESS TO HARD TO REACH PLACES

■ OPTIMUM HEIGHT - ALLOWS COMFORTABLE DRIVING OF THE MACHINE

APP Nr	Product name	Type	Size	Quantity
080133	APP for AD 2Polish - Open-cell polishing sponge, Velcro, blue	universal	d38/45 h15	6 pcs.
080134	APP for AD 2Polish - Open-cell polishing sponge, Velcro, blue	universal	d50/60 h20	6 pcs.
080135	APP for AD 2Polish - Open-cell polishing sponge, Velcro, blue	universal	d75/90 h25	2 pcs.
080136	APP for AD 2Polish - Open-cell polishing sponge, Velcro, blue	universal	d125/140 h25	2 pcs.
080137	APP for AD 2Polish - Open-cell polishing sponge, Velcro, blue	universal	d150/165 h25	2 pcs.



2FINISH.

Open-cell polishing sponge



The sponge is made of open-cell foam, which, thanks to its specific design, increases the polishing power, while stabilising the temperature during use. The safe height of the sponge (h=25 mm) and the bevelled side profile allow for greater safety when working in hard-to-reach areas. The open-cell design prevents the sponge from becoming too hot, extends its durability and ensures that the polishing paste does not clog it. APP for AD 2Finish is designed for both rotary motion machines and Dual Action polishing machines. Hook-and-loop fastening facilitates changes while working on the paintwork.

APP for AD 2Finish is a finishing polishing sponge with polishing properties, which can be used on all lacquer coats. Thanks to its softness, it is ideal for finishing work and provides the varnish with a high gloss. It works perfectly with the dedicated APP for AD Finish paste.

ADVANTAGES:

- OPEN CELL STRUCTURE
- EXTENDED DURABILITY
- SEVERELY LIMITED HEATING
- BEVELED SIDE PROFILE - FACILITATES ACCESS TO HARD TO REACH PLACES
- OPTIMUM HEIGHT - ALLOWS COMFORTABLE DRIVING OF THE MACHINE

APP Nr	Product name	Type	Size	Quantity
080138	APP for AD 2Finish - Open-cell polishing sponge, Velcro, yellow	soft	d38/45 h15	6 pcs.
080139	APP for AD 2Finish - Open-cell polishing sponge, Velcro, yellow	soft	d50/60 h20	6 pcs.
080140	APP for AD 2Finish - Open-cell polishing sponge, Velcro, yellow	soft	d75/90 h25	2 pcs.
080141	APP for AD 2Finish - Open-cell polishing sponge, Velcro, yellow	soft	d125/140 h25	2 pcs.
080142	APP for AD 2Finish - Open-cell polishing sponge, Velcro, yellow	soft	d150/165 h25	2 pcs.

