

APP AirMax Pro

Protective painting suit

APP Nr 090595, 090596, 090597, 090598

Professional painting suit

APP AirMax Pro made of durable microporous material that does not emit dust and ensures maximum protection against contact with dusts and liquids (types 5 and 6).

The suit features:

- 3-piece hood with flexible face opening seal,
- elastic sleeves,
- a two-piece gusset at the crotch,
- drawstrings at wrists, ankles and waist.

Recessed sealed seams provide protection against liquids and dust.

CE The APP AirMax Pro painting suit is CE certified, which confirms that it meets the standards required by law.



APP AirMax Pro

Protective painting suit


Structure:

1 Fabric covered with microporous film
Non-dusting and non-absorbent - provides superior protection against liquids and dust.

4 Optimized cut ribbing on:
waist, sleeves, legs, and hood increase flexibility and wearing comfort.

CE CE marking confirms compliance with applicable standards.

EN 13982-1



EN 13034



EN 1073-2



EN 1149-1



EN 14126



- EN 340:2003;
- EN ISO13982-1:2004/A1:2010 (Type 5)
- EN 13034:2005 (Type 6)
- EN 1149-5:2008 Anti-electrostatic properties.
- EN 1073-2:2002 Protection against contamination with radioactive dust.
- EN 14126:2003 Type PB(6)-B/PB(5) Protection against biological agents.

WARNING! THE SUIT FULFILLS THE REQUIREMENTS THE STANDARD EN 14126
may be used as protective clothing against biological agents, viruses and other infectious agents.



2 Anti-electrostatic properties
suitable for explosive areas.


3 Three-piece hood
sewn from three parts fits better to the head. Properly cut opening and elastic seal allow to wear various types of masks and other respiratory protection equipment.

5 Special strong 4-thread overlock stitch (width 4 mm). Ensures tightness and resistance of the suit to moisture and dust.

6 Two-piece gusset in the crotch
improves comfort and durability during work.



Shelf life 5 years.



Painting suit APP AirMax Pro

Size	Height [A]	Chest width [B]
M	170–176 cm	92–100 cm
L	176–182 cm	100–108 cm
XL	182–188 cm	108–116 cm
XXL	188–194 cm	116–124 cm

Application:

spray painting and car varnishing	production and varnishing of furniture and other wood and plastic products	construction, including glass fibers, mineral wools, asbestos fibers	agriculture and food industry - work requiring increased protection against aggressive liquids, solvents, and detergents
pharmaceutical industry, laboratories	hospitals and emergency services	water supply, sewages, and waste management	work under conditions of moderate pollution

ADVANTAGES

+ PROTECTION: TYPE 5 AND 6 FOR DUST AND LIQUID RESISTANCE	+ NON-DUSTY, AIRTIGHT FABRIC COVERED WITH MICROPOROUS FILM	+ ZIPPER WITH PROTECTIVE FLAP
+ TIGHT AND ELASTIC THREE-PIECE HOOD	+ STRONG OVERLOCK SEAMS AND GUSSET IN CROTCH	+ CE MARKING AND COMPLIANCE WITH STANDARDS

APP No.	Product name	Size	Kolor	Quantity
090595	APP AirMax Pro - Protective painting suit	M	white	1 piece
090596	APP AirMax Pro - Protective painting suit	L	white	1 piece
090597	APP AirMax Pro - Protective painting suit	XL	white	1 piece
090598	APP AirMax Pro - Protective painting suit	XXL	white	1 piece