



Pneumatic cartridge gun with a telescopic piston for 290ml and 310ml cartridges and 400ml sachets






Pneumatic cartridge gun with a telescopic piston for 290ml and 310ml cartridges and 400ml sachets

Design:





Index	110505N
Working pressure	6-8 bar
Max. pressure	10 bar
Air consumption	220 L/min
Compressed air quick- -coupling	EURO DN 7,2 standard profile
Noise level	70 dB(A)
Length	395 x 220 mm
Dia.	64 mm
Mass	1.24 kg

SET INCLUDES:

- 1) Pneumatic gun.
- 2) Nylon sachet sealing tip.
- 3) Sachet adapter. Cartridge locking ring.
- 5) External short nozzle (Volkswagen type).
- 6) External long nozzle (Renault type).
- Internal nozzle (cartridge dedicated).





395 mm



APP Sp. z o.o.

ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl

www.APP.com.pl







20.10.2023

220 mm



Pneumatic cartridge gun with a telescopic piston for 290ml and 310ml cartridges and 400ml sachets

Use & Advantages:



Manufacture of motor vehicles Body & paint shops

Woodworking shops and furniture manufacture

Building and renovation works

Works that require sealing













PWW 400

MAX PRESS. 10 BAR 145 P.S.I. S.Nr. 146679



MULTI-PURPOSE USE

high quality pneumatic spraying gun for professionals dedicated for sealing compounds, provided with piston.

PRECISION

provided with telescopic piston and high precision regulators for application and volume control to deliver a desired texture and uniformed application of product.



SAFETY VALVE

that prevents an excessive flow of product.



"SIMPLE" CONSTRUCTION

easy and quick dismantling for tool cleaning and maintenance. Dismantling of each part is possible.

APP No.	Product Description	Qty
110505N	NTOOLS PWW 400 - Pneumatic cartridge gun with a telescopic piston for 290ml and 310ml cartridges and 400ml sachets	1 item

APP Sp. z o.o.

20.10.2023











Pneumatic cartridge gun with a telescopic piston for 290ml and 310ml cartridges and 400ml sachets

Nozzles suitable for NTools PWW 400:





APP No. 110505WK

NTools D inner nozzle





APP No. 110505ZP

NTools DW intermediate





APP No. 110505ZR

NTools DW long





APP No. 110505ZV

NTools DW short





APP No. 110607

APP DK 10 soft





APP No. 110606

APP DK 40 hard





APP No. 110601

APP MTL 1 for a closed cartridge





APP No. 110603

APP MTL 1 for open cartridge



APP Sp. z o.o. ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl







