




Pneumatic Grinder for Quick Removal of Rust and Stickers

### APP Nr 139352P

NTools PSRN 2 is universal brush pneumatic grinder to remove sealants and sealers, old spray protective coatings, varnish and filler. Suitable accessories help remove rust, tapes, adhesive film or stickers. The grinder reaches hard-to-reach places like corners, edges and guarantees fast and precise processing of surfaces with structure, spot-welds, rivets, crew, etc.



## **FEATURES:**



air consumption - 142 l/min,



Throttle valve for optimal operating speed within range 0-4000 rpm.



Conformance with European Standards confirmed with CE mark.

APP Sp. z o.o. ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl www.APP.com.pl

17.02.2023











Pneumatic Grinder for Quick Removal of Rust and Stickers

# Design:







APP Sp. z o.o. ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl









Pneumatic Grinder for Quick Removal of Rust and Stickers

# Set includes:



Pneumatic grinder



Coarse wire wheel brush: Width:. 23 mm; 103 mm; wire 0,7 mm (APP No. 139933)



Medium wire wheel brush: Width. 23 mm; 103 mm; wire. 0,5 mm (APP No. 139934)



Abrasive disk 100 mm (APP No. 139938)



Disk for tape and sticker removal, ø100 mm (APP No. 139936)



Plastic case



flat wrench



5/16" thread adapter - 24 turns to M4 x 1 thread



Quick-coupling 1/4"



Allen key



17.02.2023











Pneumatic Grinder for Quick Removal of Rust and Stickers

# Technical Data:



### NTools Nr 139352P Pneumatic Grinder for Quick Removal of Rust and Stickers



| Operating pressure | 6,2 bar       | Air connection | 1,4"                 |
|--------------------|---------------|----------------|----------------------|
| Air consumption    | 142 l/min     | Noise level    | 104,1 dB(A)          |
| Rotational speed   | 4000 RPM      | Vibration      | 1,8 m/s <sup>2</sup> |
| Power              | 373/0,5 kW/HP | Weight         | 1,4 kg               |

Conformance with the requirements laid down in the Council Directive as of June 1989 regarding mechanical devices:: 89/392/EEC, 91/368/EEC, 93/44/EEC, 2006/42/EC; ISO 8862-1 - Vibration measurement; PNEUROP 8N-1 - Acoustic pressure level

USF:

- paint shops and car body garages
- vehicle dismantling station
- works related to metalworking

### NTools PSRN2 grinder matching parts:



APP nr 139933



APP nr 139934



APP nr 139935



APP nr 139936



APP nr 139938

# **ADVANTAGES**

### **ROTATIONAL SPEED CONTROL**

Throttle valve for optimal operating speed within range 0-4000 rpm.



### A WIDE RANGE OF ACCESSORIES

■ Wire wheel brushes ■ Abrasive disks ■ Rubberized hard disk

that quickly remove old coats, corrosion, sprayed paints, filler, adhesive tapes and stickers, as well as emblem related glue residues.

Cleaning with wire wheel brushes ensure element appearance similar to that one after sanding whereas the surface is free from deformation.

Cleaning with wire wheel brushes offers higher work efficiency (calculated per unit area) comparing to cleaning with abrasive disks.

| APP No  | Product name   | RPM    | Qty |
|---------|--|--------|-----|
| 139352P | NTools PSRN 2 - Pneumatic Grinder for Quick Removal of Rust and Stickers | 0-4000 | 1   |

APP Sp. z o.o.

ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl









www.APP.com.pl