



APP FPS Fast Preparation System

IM 099

Disposable cup system for mixing varnish

APP Nr 250786 - 250798

APP FPS Fast Preparation System -

A system of disposable cups designed for use with top tank guns and for mixing paints and varnishes with hardeners and thinners in various proportions. Made of durable plastic resistant to chemicals used in refinishing and industrial paint shops. Precise graduations enable the desired amount of product ready for spraying to be obtained with the correct mixing ratios. The use of an internal soft cup completely insulates the paint from the environment and allows working in any position of the spray gun.

Basic components:



Internal PE soft cups and lids with integrated 80, 125 or 190 micron paint filters.



Stoppers for tight sealing of soft cups with lid.



PP outer hard cups with mixing scales and a cap.

Components of sets:



APP No 250760 - 250762

APP Sp. z o.o.

www.APP.com.pl





400 ml

190 µm









APP FPS

Disposable cup system for mixing varnish

Application:



Attach the appropriate FPS connector on a spray gun to the cup connector. The connection must be tight and mechanically resistant.



Place the soft inner cup inside the hard outer cup and select a scale for mixing.



Mix the paint according to the recipe and mixing ratio for the ready-to-spray paint mixture.



Place the lid with integrated filter on the soft cup and press it down as far as it can go. The connection to the soft cup must be tight.



Place the cap on the hard cup and tighten it until it stops.



Place the FPS connector previously fitted to the gun onto the spout of the standing cup and press it down as far as it goes; then rotate it by ¼ turn.



When painting, it is possible to work at any spray gun angle up to and including 180°.



After spraying, disconnect the compressed air hose, turn the spray gun upside down and depress the trigger of the spray gun so that the paint flows out of the gun and back into the cup.



Disconnect the cup from the gun, performing assembly steps in reverse. Close the spout of the soft cup tightly with the cap. Unscrew the cap from the hard cup and remove the soft cup with the cap. If you have trouble removing it, push it gently upwards through the hole in the bottom of the hard outer cup.

APP Sp. z o.o.

Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl









APP FPS

Disposable cup system for mixing varnish

FPS Adapters:

		SPRAY GUN MODEL	CONNECTOR NO.	CONNECTOR THREADS
APP No. 250770	ZSTREET, TOTAL TOT	NTools FX1 i FX2, DeVilbiss DV1, GTI, GTI ProLite, FLG	15	3/8″ BSP
APP No. 250771		lwata WS400, LS400, W300 AirGunsa AZ3HTE, AZ4HTE	43	1/4" BSP
APP No. 250772		NTools FX3 Plus, FX4 Plus Iwata W400 Classic Plus, LPH400	2	M16x1,5
APP No. 250773		Sata QCC 5500, 5000, 4000, 3000, 1000	40	QCC
APP No. 250774		NTools FX 3 mini, Graco LT100 Mini, Star SV-106T Mini	21	M14x1

APP Sp. z o.o. ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl www.APP.com.pl











APP FPS

Disposable cup system for mixing varnish



200 ml 125 μ m | 190 μ m



400 ml 125 μ m | 190 μ m | 190 μ m UV



650 ml $80~\mu m$ | 125 μm | 190 μm



850 ml 125 μm | 190 μm

ADVANTAGES

SAVINGS IN SOLVENT CONSUMP-TION FOR CLEANING THE SPRAY GUN OF UP TO 70%.

QUICK COLOUR CHANGE

DISPOSABLE CUP VERSION FOR UV--CURING PRODUCTS

- 400 ml and 190 µm



- one cup for mixing and varnishing

FOUR CAPACITIES

- for optimising the costs of using paint and varnish cups during typical paint repairs (individual components, groups of components, side)

FPS SYSTEM CONNECTORS

- adapted to common brands and models of paint spray guns



POSSIBILITY OF OPERATING THE **SPRAY GUN AT ANY ANGLE OF INCLINATION**



AIRTIGHT LID WITH STOPPER FOR **TEMPORARY STORAGE OF VARNISH**



SYSTEM TIGHTNESS AND SIMPLE, **SECURE INSTALLATION**

APP No.	Product name	Capacity	Quantity
250790	APP FPS+ Fast Preparation System - Set of soft cups with filter lid, 125 μm	200 ml	50 pcs
250791	APP FPS+ Fast Preparation System - Set of soft cups with filter lid, 190 μm	200 ml	50 pcs
250792	APP FPS+ Fast Preparation System - Set of soft cups with filter lid, 125 μm	400 ml	50 pcs
250764	APP FPS Fast Preparation System - Set of soft cups with filter lid, 190 μm	400 ml	50 pcs
250793UV	APP FPS+ Fast Preparation System - Set of soft cups with filter lid, 190 μm, UV	400 ml	50 pcs
250794	APP FPS+ Fast Preparation System - Set of soft cups with filter lid, 80 μm	650 ml	50 pcs
250765	APP FPS Fast Preparation System - Set of soft cups with filter lid, 125 μm	650 ml	50 pcs
250796	APP FPS+ Fast Preparation System - Set of soft cups with filter lid, 190 μm	650 ml	50 pcs
250767	APP FPS Fast Preparation System - Set of soft cups with filter lid, 125 μm	850 ml	50 pcs
250798	APP FPS+ Fast Preparation System - Set of soft cups with filter lid, 190 μm	850 ml	50 pcs
250786	APP FPS+ Fast Preparation System - Scaled hard cup	200 ml	2 pcs
250760	APP FPS Fast Preparation System - Scaled hard cup	400 ml	2 pcs
250761	APP FPS Fast Preparation System - Scaled hard cup	650 ml	2 pcs
250762	APP FPS Fast Preparation System - Scaled hard cup	850 ml	2 pcs
250770	APP FPS - FPS paint cup adapter for spray guns 15 NTools FX1 and FX2, DeVilbiss DV1, GTI, GTI ProLite, FLG 3/8" BSP	-	1 pc
250771	APP FPS - FPS paint cup adapter for spray guns 43 Iwata WS400 i AZ3 1/4" BSP	-	1 pc
250772	APP FPS - FPS paint cup adapter for spray guns 02 NTools FX3 i FX4, Iwata W400 M16x1,5	-	1 pc
250773	APP FPS - FPS paint cup adapter for spray guns 40 Sata 5500 QCC	-	1 pc
250774	APP FPS - FPS paint cup adapter for spray guns 21 NTools FX 3 mini M14x1	-	1 pc

APP Sp. z o.o.

Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl



