

APP No. 250820 - 250829

APP FPS X Fast Preparation System -

A system of disposable cups designed for use with top tank guns and for mixing paints and varnishes with hardeners and thinners in various proportions. Made of durable plastic resistant to chemicals used in refinishing and industrial paint shops. Precise graduations enable the desired amount of product ready for spraying to be obtained with the correct mixing ratios. The use of an internal soft cup completely insulates the paint from the environment and allows working in any position of the spray gun.

Basic components :



Internal PE soft cups and lids with integrated 80, 125 or 190 micron paint filters.




Stoppers for tight sealing of soft cups with lid.



PP outer hard cups with mixing scales and a cap.

Components of set:



400 ml
190 µm



Application:



Attach the appropriate FPS connector on a spray gun to the cup connector. The connection must be tight and mechanically resistant.



Place the soft inner cup inside the hard outer cup and select a scale for mixing.



Mix the paint according to the recipe and mixing ratio for the ready-to-spray paint mixture.




Place the lid with integrated filter on the soft cup and press it down as far as it can go. The connection to the soft cup must be tight.




Place the cap on the hard cup and tighten it until it stops.



Place the FPS connector previously fitted to the gun onto the spout of the standing cup and press it down as far as it goes; then rotate it by $\frac{1}{4}$ turn.



When painting, it is possible to work at any spray gun angle up to and including 180° .



After spraying, disconnect the compressed air hose, turn the spray gun upside down and depress the trigger of the spray gun so that the paint flows out of the gun and back into the cup.



Disconnect the cup from the gun, performing assembly steps in reverse. Close the spout of the soft cup tightly with the cap. Unscrew the cap from the hard cup and remove the soft cup with the cap. If you have trouble removing it, push it gently upwards through the hole in the bottom of the hard outer cup.

FPS Adapters:

		SPRAY GUN MODEL	CONNECTOR NO.	CONNECTOR THREADS
APP No. 250770		NTools FX1 i FX2, DeVilbiss DV1, GTI, GTI ProLite, FLG	15	3/8" BSP
APP No. 250771		Iwata WS400, LS400, W300 AirGuns, AZ3HTE, AZ4HTE	43	1/4" BSP
APP No. 250772		NTools FX3 Plus, FX4 Plus, Iwata W400 Classic Plus, LPH400	2	M16x1,5
APP No. 250773		Sata QCC 5500, 5000, 4000, 3000, 1000	40	QCC
APP No. 250774		NTools FX 3 mini, Graco LT100 Mini, Star SV-106T Mini	21	M14x1

APP FPS X

Disposable cup system for mixing varnish



200 ml
125 µm | 190 µm



400 ml
125 µm | 190 µm | 190 µm UV




650 ml
80 µm | 125 µm | 190 µm



850 ml
125 µm | 190 µm

Internal dimensions:



ADVANTAGES



COST SAVINGS ON MATERIALS USED DURING PAINTING

- one cup for mixing and varnishing



FOUR CAPACITIES

- for optimising the costs of using paint and varnish cups during typical paint repairs (individual components, groups of components, side)



SAVINGS IN SOLVENT CONSUMPTION FOR CLEANING THE SPRAY GUN OF UP TO 70%.



POSSIBILITY OF OPERATING THE SPRAY GUN AT ANY ANGLE OF INCLINATION



AIRTIGHT LID WITH STOPPER FOR TEMPORARY STORAGE OF VARNISH



SYSTEM TIGHTNESS AND SIMPLE, SECURE INSTALLATION

APP No.	Product name	Capacity	Quantity
250820	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 125 µm	200 ml	50 + 1 pc
250821	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 190 µm	200 ml	50 + 1 pc
250822	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 125 µm	400 ml	50 + 1 pc
250823	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 190 µm	400 ml	50 + 1 pc
250824	APP FPS X Fast Preparation System - Set of disposable, black soft cups and lids + one hard cup UV, 190 µm	400 ml	50 + 1 pc
250825	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 80 µm	650 ml	50 + 1 pc
250826	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 125 µm	650 ml	50 + 1 pc
250827	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 190 µm	650 ml	50 + 1 pc
250828	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 125 µm	850 ml	50 + 1 pc
250829	APP FPS X Fast Preparation System - Set of disposable soft cups and lids + one hard cup, 190 µm	850 ml	50 + 1 pc
250770	APP FPS - FPS paint cup adapter for spray guns 15 NTools FX1 and FX2, DeVilbiss DV1, GTI, GTI ProLite, FLG 3/8" BSP	-	1 pc
250771	APP FPS - FPS paint cup adapter for spray guns 43 Iwata WS400 i AZ3 1/4" BSP	-	1 pc
250772	APP FPS - FPS paint cup adapter for spray guns 02 NTools FX3 i FX4, Iwata W400 M16x1,5	-	1 pc
250773	APP FPS - FPS paint cup adapter for spray guns 40 Sata 5500 QCC	-	1 pc
250774	APP FPS - FPS paint cup adapter for spray guns 21 NTools FX 3 mini M14x1	-	1 pc

APP Sp. z o.o.

ul. Przemysłowa 10, 62-300 Września

Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl

www.APP.com.pl

28.08.2026