

# APP PSK

## Abrasive waterproof flakes adhesive

APP Nr 40PSK1500, 40PSK2000

Abrasive waterproof flakes adhesive are designed for removing small defects (dust inclusions and small dents) in the structure of the topcoat paint. They are used during spot finishing grinding before polishing.

For manual work (APP KG MX or APP KA PSK plug) and machine work (NTools PSM 30). The flakes are fixed with adhesive.

Gradation of abrasive flakes was adjusted to the size of defect:

- P1500 - initial grinding,
- P2000 - finishing grinding.

### FEATURES:



UNIQUE GRAIN  
STRUCTURE

FILM  
BACKING

FILM  
BACKING

PSA  
ADHESIVE

ADHESIVE

PRODUCT	40PSK	40MX
PHOTO		
DIAMETER	32 mm	35 mm
SUBSTRATE	film	paper
DOES IT LEAVE SPRINGS	no	yes
CUT-OUT SPEED FOR DEFECTS	★★★★☆	★★★☆☆
EFFICIENCY	★★★★☆	★★☆☆☆
EASE OF POLISHING	★★★★☆	★☆☆☆☆
STRENGTH OF GLUE (DOES IT NOT PEEL OFF)	★★★★☆	★★★☆☆
TOTAL "STARS"	16,5	8


### COMPATIBLE WITH:



APP Nr 150401  
APP KG MX




APP Nr 150409  
APP KA PSK



APP Nr 139210N  
NTTools PSM30

### Grain structure



The unique tetrahedral grain structure guarantees a perfectly even surface when processing both fresh and fully cured topcoats.

In addition, as the grain rubs off during operation, it exposes new sharp edges, so the performance is significantly higher compared to traditional grain.

### ADVANTAGES

+	FOR USE WITH LITTLE WATER	+	ACCURATE, FAST PRECISE REMOVAL OF SMALL PAINT FLAWS	+	5 TIMES GREATER EFFICIENCY THAN FLAKES WITH TRADITIONAL GRAIN
+	DOES NOT CLOG DURING WORK (DOES NOT CREATE A "SPRING EFFECT")	+	CREATES AN EVEN AND EASY TO POLISH SURFACE	+	EASY AND QUICK TO USE

APP No.	Product name	Gradation	Diameter	Packaging
40PSK1500	Abrasive waterproof flakes adhesive	P1500	d32	12 pcs.
40PSK2000		P2000		