

System



#### APP No. 06FLD, 06FLK, 06FLW, 06FLU

**NTools Fast LOCK** – is a perfect solution for all applications where small items and hard-to-reach areas have to be treated.

A specially designed holder provides a very quick tool change in less than 5 seconds.

#### THE SYSTEM INCLUDES:

- Blue sanding disc
  NTools Fast LOCK KS
  (APP No. 06FLK0040S/B-06FLK0120S/B)
- Abrasive disc NTools Fast LOCK DS (APP No. 06FLD0002S/B)
- Non-woven abrasive
  NTools Fast LOCK WS
  (APP No. 06FLW0001S/B 06FLW0003S/B)
- Backing plate with a thread
  NTools Fast LOCK TM
  (APP No. 06FLU0002S/B)

APP Sp. z o.o. ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl www.APP.com.pl

21.02.2025

۴I



System



## Types of tools and their use:

### **NTools Fast LOCK KS**

Blue sanding disc ø 50 mm

APP No. 06FLK0040S/B-06FLK0120S/B

Abrasive discs covered with zirconium on a canvas lining intended for machining of all common used metals. Grain gradation range P40 - P120.

Thanks to application of zirconium grit, its abrasive characteristics and efficiency are much higher in comparison to conventional electro corundum grain.

A tool for aggressive grinding of steels and welds, removal of large excess materials during a coarse and intermediate machining and removal of spatter during welding.

extremely abrasive

four gradations P40, P60, p80 and P120

maximum rotation speed: 20000 RPM

available by 1 piece and in a bulk pack of 100 pieces.



#### **NTools Fast LOCK DS** Abrasive disc ø 50 mm

APP No. 06FLD0002S/B

An open non-woven structure allows for aggressive treatment without lumping and gouging.

Thick nylon fibre and very coarse grain is designed for: removal of various types of coatings including sealants, rust, weld spatter and scale, to be used before and after welding in order to prepare and clean the surface.

### does not clog up

extremely abrasive

flexibility and versatility of use

maximum rotation speed: 20000 RPM

available by 1 piece and in a bulk pack of 25 pieces.



PRELIMINARY

COARSE MACHINING

www.APP.com.pl

21.02.2025





System



()

PCS.

Fast LOCK WS

## Types of tools and their use:

#### **NTools Fast LOCK WS**

APP No. Non-woven abrasive Ø 50 mm 06FLW00015/B-06FLW00035/B

Non-woven abrasive material resistant to tearing by sharp edges, smoothing and cleaning without smudging.

Available in three grit variants:

- fine-grained (blue colour)
- medium-grained (red colour)
- coarse-grained (brown colour)

Intended for finishing work including removal of rust and coatings, cleaning castings, removal of contaminants and old seals, smoothing surface imperfections.

#### high elasticity

**FINISHING WORK** 

open fibre structure prevents clogging up the cloth


maximum rotation speed: 20000 RPM

Available by 1 piece and in a bulk pack of 50 pieces.






>>>>



compatible with 3M Roloc and Norton Speed-Lok

maximum rotation speed: 30000 RPM

Available by 1 piece and in a bulk pack of 25 pieces.



APP Sp. z o.o. ul. Przemysłowa 10, 62-300 Września

Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl

www.APP.com.pl

21.02.2025





System



## A grinder designed for **NTools Fast LOCK:**

NTools PSK (APP nr 139102N) Angle grinder

The angle mini-grinder is designed to grind metal, stone, wood and plastic. Perfect for sheet metal work. High-quality pneumatic motor. 6 mm thread holder. The set includes two wrenches and a compressed air connector.



TAGES	VERY FAST TOOL CHANGE REDUCING downtime compared with tools with conventional mounting	<b>ONE HOLDER</b> - SEVERAL DIFFERENT TOOLS	ABILITY TO WORK IN HARD-TO-REACH AREAS
ADVAN	QUICK TREATMENT	COMPATIBLE WITH NORTON	<b>1 SYSTEM - 3 TREATMENTS</b>
	OF SMALL ITEMS	SPEED-LOK AND 3M ROLOC	(Preliminary, roughing and finishing)

APP No.	Product name	Gradation	Color	Diameter	Packaging
06FLK0040S		P40	blue	ø 50 mm	1 рс
06FLK0040B	NTools Fast LOCK KS - Blue sanding disc	P40	blue	ø 50 mm	100 pcs
06FLK0060S		P60	blue	ø 50 mm	1 рс
06FLK0060B		P60	blue	ø 50 mm	100 pcs
06FLK0080S		P80	blue	ø 50 mm	1 рс
06FLK0080B		P80	blue	ø 50 mm	100 pcs
06FLK0120S		P120	blue	ø 50 mm	1 рс
06FLK0120B		P120	blue	ø 50 mm	100 pcs
06FLD0002S	NTools Fast LOCK DS - Abrasive disc	coarse-grained	black	ø 50 mm	1 рс
06FLD0002B		coarse-grained	black	ø 50 mm	25 pcs
06FLW0001S		fine-grained	blue	ø 50 mm	1 рс
06FLW0001B		fine-grained	blue	ø 50 mm	50 pcs
06FLW0002S	NTools Fast LOCK WS - Non-woven abrasive	middle-grained	red	ø 50 mm	1 рс
06FLW0002B	NIOUS FAST LOCK WS - NOII-WOVEIT ADTASIVE	middle-grained	red	ø 50 mm	50 pcs
06FLW0003S		coarse-grained	brown	ø 50 mm	1 рс
06FLW0003B		coarse-grained	brown	ø 50 mm	50 pcs
06FLU0002S	NTools Fact LOCK TM Packing plate with a thread	-	black	ø 50 mm	1 рс
06FLU0002B	NTools Fast LOCK TM - Backing plate with a thread	-	black	ø 50 mm	25 pcs

#### 21.02.2025

f ► ⓓ in <mark>EN</mark>

www.APP.com.pl