SAFETY DATA SHEET According Commission Regulation (EU) 2020/878



Date of issue: 2023-02-20

APP Modular Special Base 80-78

Page 1 z 9

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Trade name: APP Modular Special Base 80-78 Trade code:0260078

1.2. <u>Relevant identified uses of the substance/mixture and uses advised against</u> Lacquer additive. uses advised against: other.

1.3. Details of the supplier of the safety data sheet

Company: APP Sp. z o. o. ul. Przemysłowa 10, 62 – 300 Września Tel. +48 (061) 437 00 00 Fax. +48 (061) 437 91 37 Mail: <u>app@app.com.pl</u> Strona WEB: <u>www.app.com.pl</u>

Safety Data Sheet e-mail: dzp@app.com.pl

1.4. <u>Emergency telephone number:</u> +48 (61) 437 00 00

Date of issue: 2023-02-20

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



Danger

H226 Flammable liquid and vapour H304 May be fatal if swallowed and enters airways H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H373 May cause damage to organs through prolonged or repeated exposure (oral and inhalation). H412 Harmful to aquatic life with long lasting effects 2.2. Label elements Labelling according Regulation (EC) No 1272/2008 Contains: Butyl acetate xylene 2-methoxy-1-methylethyl acetate Butan-1-ol Methyl methacrylate Formaldehyde Maleic anhydride Signal word: Danger **Pictogram:**



Hazard statement(s)

- H226 Flammable liquid and vapour
- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H335 May cause respiratory irritation
- H336 May cause drowsiness or dizziness
- H373 May cause damage to organs through prolonged or repeated exposure (oral and inhalation).
- H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+ P361+ P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305 + P351 +P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P333+ P313 If skin irritation or rash occurs: Get medical advice/attention.
- P501 Dispose of contents/container in accordance with local regulations.

2.3 Other hazards

Does not fulfil criteria of PBT and vPvB according to annex XIII 1907/2006

UN: 1263

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

- 3.1. Substances
- N.A.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

| Name | Conc. | CAS No | Index No | EC No | Classification: |
|--|----------|-----------|--------------|-----------|---|
| Buthyl acetate REACH Reg. No 01-2119485493-29 | 25-<50 % | 123-86-4 | 607-025-00-1 | 204-658-1 | GHS02; GHS04 Wng Flam.Liq.3: H226 STOT SE3: H336 EUH066 |
| Xylene REACH Reg. No 01-2119488216-32 | <25 % | 1330-20-7 | 601-022-00-9 | 215-525-7 | GHS02; GHS07 Wng FlamLiq.3: H226 AcuteTox.4: H312 AcuteTox.4: H332 SkinIrrit.2: H315 EyeIrrit2: H319 AspTox1: H304 STOT RE2: H373 |

| | SAFETY DATA SHEET According Commission Regulation (EU) 2020/878 | | | | | | | |
|---|--|------------|----------|--------------------------------|-----------|---|--|--|
| AUTO-PLAST PRODUKT | Date of issue: | 2023-02-20 | | APP Modular Special Base 80-78 | | | Page 3 z 9 | |
| Ethylbenzen REACH Reg. No 01-2119892111-44 | <2,5% | 100-41-4 | 6 | 01-023-00-4 | 202-849-4 | GHS02; GHS07 Dgr Flam. Liq.2: H2 AspTox1: H304 STOT RE2: H37 Acute Tox.4: H3 SkinIrrit2: H319 EyeIrrit2: H319 STOT SE3: H33 | H225 604 H373 H332 1315 319 H335 505; GHS07 . Liq. 3: H226 : H302 STOT kin Irrit. 2: m. 1: H318 | |
| Butan-1-ol; REACH Reg. No 01-2119484630-38 | <10% | 71-36-3 | 6 | 03-004-00-6 | 200-751-6 | GHS02; GHS05 Dgr Flam. L Acute Tox. 4: H SE 3: H335 Skin H315 Eye Dam. STOT SE 3: H3 | | |
| C-9 hydrocarbons aromatic REACH: 01-2119455851-35 | <25% | 64742-95-6 | <u>,</u> | - | 918-668-5 | GHS02; GHS08 Dgr Flam. Liq. 3, H2 Asp. Tox. 1: H3 AquaticChronic STOT SE 3; H3 | 26 04 2: H411 | |
| C9 ÷ C12 hydrocarbons; n- alkanes, isoalkanes, cyclics, aromatics (2% ÷ 25%) REACH: 01-2119458049-33-XXXX | <10% | - | | - | 919-446-0 | GHS02; GHS07 FlamLiq.3: H22 Asp. Tox. 1: H30 STOT SE 3: H33 Aquatic Chronic EUH066 | 6)4 36 | |
| 2-Butoxyethyl acetate REACH: 01-2119475112-47 | <2,5% | 112-07-2 | 6 | 07-038-00-2 | 203-933-3 | GHS07 Uwaga AcuteTox4: H31 AcuteTox4: H33 | | |
| 2-methoxy-1-methylethyl acetate REACH Reg. No: 01-2119475791-29-XXXX | <10% | 108-65-6 | 6 | 07-195-00-7 | 203-603-9 | GHS02 Wng FlamLiq3: H226 | 5 | |

| | SAFETY DATA SHEET According Commission Regulation (EU) 2020/878 | | | | | | |
|--|--|------------|------------------|-----------|---|---|--|
| AUTO-PLAST PRODUKT | Date of issue: | 2023-02-20 | APP Modular Spec | | Base 80-78 | Page 4 z 9 | |
| Methyl methacrylate REACH: 01-2119452498-28 | <1% | 80-62-6 | 607-035-00-6 | 201-297-1 | GHS07 SkinIrrit2: H31 SkinSens1: H31 STOT SE3: H33 STOT SE3: H33 EUH066 AquaticChronic | 7 35 86 | |
| 1-methoxypropan-2-ol REACH: 01-2119457435-35 | <10% | 107-98-2 | 603-064-00-3 | 203-539-1 | GHS02 Flam.Liq.3: H22 | 26 | |
| Formaldehyde REACH: 01-21198953-20 | <0,1 | 50-00-0 | 605-001-00-5 | 200-001-8 | GHS05, GHS06 Carc1B: H350 M AcuteTox3:H30 AcuteTox3:H31 AcuteTox3:H33 SkinCorr1B:H3 SkinSens1: H31 Specific concent limits: | 9 Muta2:H341 301 311 331 H314 817 ntration ; H341: C ≥ | |
| | | | | | 25% Skin Irrit. 5% ≤ C ≤ 25% I H319: 5% ≤ C ≤ STOT SE 3; H3 Skin Senes., 1: I 0,2% | Eye Irrit. 2: ≤ 25% 35: C ≥ 5% | |
| Maleic anhydride REACH: 01-2119472428-31 | <0,1% | 108-31-6 | 607-096-00-9 | 203-571-6 | GHS02; GHS07 FlamLiq3: H220 AcuteTox4:H30 SkinCorr1B: H3 EyeDam1: H318 RespSens1: H33 SkinSens1: H31 STOT RE1: H3 EUH071 | 5 2 814 8 4 7 | |
| Triethylamine REACH: 01-2119475467-26 | <1 % | 121-44-8 | 612-004-00-5 | 204-469-4 | GHS02; GHS05 FlamLiq2: H22 AcuteTox4: H3(AcuteTox4: H31 AcuteTox4: H33 SkinCorr1A: H3 | 5 02 02 02 02 | |

Full text of R-Phrases and H-Phrases can be found under heading 16

SECTION 4. FIRST AID MEASURES 4.1. Description of first aid measures In case of skin contact:

| | SAFETY DATA SHEET According Commission Regulation (EU) 2020/878 | | | | |
|-------------------------|--|--------------------------------|------------|--|--|
| B AUTO-PLAST PRODUKT | Date of issue: 2023-02-20 | APP Modular Special Base 80-78 | Page 5 z 9 | | |

Immediately take off all contaminated clothing. After contact with skin, wash immediately with soap and plenty of water. . In case of irritation, consult a doctor

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of

time. In case of irritation, consult an ophthalmologist. Remove Contact Lenses

In case of Ingestion:

Do not under any circumstances induce vomiting. Never give anything by mouth to an unconscious

person. Consult a doctor immediately and show him label or Safety Data Sheet.

In case of Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of respiration problems, consult a doctor immediately and show him label or Safety Data Sheet.

4.2. Most important symptoms and effects, both acute and delayed:

Causes serious eye damage. May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

May be fatal if swallowed and enters airways.Causes serious eye damage.

May cause an allergic skin reaction

May cause damage to organs through prolonged or repeated exposure (oral and inhalation).

Treatment:

None

SECTION 5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media:

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

Extinguishing media which must not be used for safety reasons:

Water jet.

5.2. Special hazards arising from the substance or mixture:

Flammable liquid. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.. The vapour is heavier than air, spreads along the ground and distant ignition is possible. Toxic fumes may be evolved on burning or exposure to heat. Do not inhale explosion and combustion gases.

5.3. Advice for fire-fighters

Fires in confined spaces should be dealt with by trained personnel warning approved air supplied brething apparatus. Water may be used to cool nearby heat exposed areas/objects/packages. Avoid spraying directly into storage containers because of the danger of boil-over. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

6.3. Methods and material for containment and cleaning up

Contain and recover liquid using sand or other suitable inert absorbent material. It is advised that stocks of suitable absorbent material should be held in quantities sufficient to deal with any spillage which may be reasonably anticipated. Recovery of large spillages should be effected by specialist personnel. Protect drains from potential spills to minimise contamination. Do not wash product into drainage system. Large and uncontained spillages should be smothered in foam to reduce the risk of ignition. The foam blanket should be maintained until the area is declared safe. Vapour is heavier than air and may travel to remote sources of ignition (e.g. along drainage systems, in basements, etc.). In the case of spillage on water, prevent the spread of product by the use of suitable barrier equipment. Recover product from the surface. Protect environmentally sensitive areas and water supplies. In case of spillage at sea, approved dispersants may be used where authorized by the appropriate regulatory authority. In the event of spillages, contact the appropriate authorities.

6.4. Reference to other sections

See Section 8 for information on personal protection equipment.

SECTION 7. HANDLING AND STORAGE



SAFETY DATA SHEET

According Commission Regulation (EU) 2020/878

APP Modular Special Base 80-78

7.1. Precautions for safe handling

Avoid breathing vapours or contact with material. Only use in well ventilated areas. Wash thoroughly after handling. Air-dry contaminated clothing in a well-ventilated area before laundering. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. Use local exhaust ventilation if there is risk of inhalation of vapours. Prevent spillages. For comprehensive advice on handling, product transfer, storage and tank cleaning refer to the product supplier. For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.

7.2. Conditions for safe storage, including any incompatibilities

Store and dispense only in well ventilated areas away from heat and sources of ignition. Store and use only in equipment/containers designed for use with the product. Containers must be properly labelled and kept closed when not in use. Do not remove warning labels from containers. Do not re-use container for any other product. Empty packages may retain residual product; retain hazard warning labels on empty packages as a guide to their safe handling, storage and disposal. Do not introduce an ignition source. Heating may cause an explosion. Storage on solid, hydrocarbons-proof floor.

7.3. Specific end use(s)

None.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

N.A.

8.2. Exposure controls

Do not eat, drink or smoke while working. Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin.

Date of issue: 2023-02-20

Eye protection:

Wear face visor or goggles in circumstances where eye contact can accidentally occur.

Protection for skin/hands:

If skin contact is likely, wear impervious protective clothing and/or gloves (nitrile : ≥0.45 mm, 240 min.). Protective clothing should be regularly inspected and maintained. Change heavily contaminated clothing as soon as reasonably practicable and launder before re-use. Wash any contaminated underlying skin with soap and water.

Respiratory protection:

Respiratory protection is normally unnecessary, provided the concentration of vapour is adequately controlled. If operations are such that the excessive generation and inhalation of vapour may be anticipated, then suitable approved organic vapour and particulate respiratory equipment should be worn

Thermal Hazards: None

Environmental exposure controls: None

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Appearance and colour: liquid, blue Odour: characteristic, mild Odour threshold: N.D. pH: N.A. Melting point / freezing point: N.D. Initial boiling point and boiling range: 131°C Upper/lower flammability or explosive limits: -Vapour density: N.D. Flash point: 28°C Evaporation rate: N.A. Vapour pressure: 1262 Pa (20°C) Density:0.952 kg/m³ (15°C) Solubility in water: insoluble Solubility in organic solvents: soluble in aromatic solvents Lipid solubility: N.A. Partition coefficient (n-octanol/water): N.A. Ignition temperature: N.D. Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity dyn.: N.D. Viscosity kin.: <20,5 mm²/s Explosive properties: can form an explisive mixture in air



SAFETY DATA SHEET According Commission Regulation (EU) 2020/878

APP Modular Special Base 80-78

Page 7 z 9

Oxidizing properties: not oxidizing 9.2. Other information

SECTION 10. STABILITY AND REACTIVITY

Date of issue: 2023-02-20

10.1. Reactivity

Mixture is not reactive.

10.2. Chemical stability

Stable under normal conditions of handling and storage.

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

- solar radiation
- sparks flame

- heat

10.5. Incompatible materials

- strong oxidisers

- strong acids

10.6. Hazardous decomposition products

None.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

a) acute toxicity: no hazard b) skin corrosion/irritation: Causes skin irritation

c) serious eye damage/irritation: Causes serious eye damage

d) respiratory or skin sensitization: May cause an allergic skin reaction

e) germ cell mutagenicity: no hazard

f) carcinogenicity: no hazard

g) reproductive toxicity: no hazard

h) STOT-single exposure: May cause respiratory irritation; May cause drowsiness or dizziness

i) STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure (oral and inhalation).

j) aspiration hazard: may be fatal if swallowed and enters airways

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

- no data

11.2.2. Other information

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity Harmful to aquatic life with long lasting effects 12.2. Persistence and degradability No data. 12.3. Bioaccumulative potential No data. 12.4. Mobility in soil No data 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Endocrine disrupting properties None 12.7. Other adverse effects None

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations or if approved allowed to degrade in situ. Dispose of product and container carefully and responsibly. Do not dispose of near ponds,

no data



SAFETY DATA SHEET

According Commission Regulation (EU) 2020/878

Date of issue: 2023-02-20

APP Modular Special Base 80-78

Page 8 z 9

ditches, down drains or onto soil. Empty packages may contain some remaining product. Hazard warning labels are a guide to the safe handling of empty packages and should not be removed.

SECTION 14. TRANSPORT INFORMATION 14.1. UN number 1263 14.2. UN proper shipping name Paint 14.3. Transport hazard class(es) 3 14.4. Packing Group Ш 14.5. Environmental hazards No 14.6. Special Precautions for User During handling wear personal protection equipment (see Section 8) Avoid heat and flame. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code N.A.

SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances). Dir. 99/45/EEC (Classification, packaging and labelling of dangerous preparations). Dir. 98/24/EC (Risks related to chemical agents at work). Dir. 2000/39/EC (Occupational exposure limit values); Dir. 2006/8/CE. Regulation (CE) n. 1907/2006 (REACH), Regulation (CE) n.1272/2008 (CLP), Regulation (CE) n.790/2009.

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

15.2. Chemical Safety Assessment

No

SECTION 16. OTHER INFORMATION

Full text of phrases referred to in Section 3:

H226 Flammable liquid and vapour

H301 Toxic if swallowed

H304 May be fatal if swallowed and enters airways

H311 Toxic in contact with skin

H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H319 Causes serious eye irritation

H331 Toxic if inhaled

H334 May cause allergy or asthma symptoms of breathing difficulties if inhaled

H335 May cause respiratory irritation

H336 May cause drowsiness or dizziness

H341 Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

H350 May cause cancer May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

H373 May cause damage to organs through prolonged or repeated exposure (state all organs affected, if known) through prolonged or repeated exposure (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

SAFETY DATA SHEET According Commission Regulation (EU) 2020/878

APP Modular Special Base 80-78

Page 9 z 9

Date of issue: 2023-02-20

the specific use intended.

