

Date of issue: 2023-08-10

**APP for AD Leather Primer** 

Page 1 z 6

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

## 1.1. Product Identifier

Trade name: **APP for AD Leather Primer** Trade code: **220965** 

**1.2.** <u>Relevant identified uses of the substance/mixture and uses advised against</u> Primer for leather

1.3. Details of the supplier of the safety data sheet

Company: APP Sp. z o. o. ul. Przemysłowa 10, 62 – 300 Września Tel. +48 (061) 437 00 00 Fax. +48 (061) 437 91 37 Mail: <u>app@app.com.pl</u> Strona WEB: <u>www.app.com.pl</u>

Safety Data Sheet e-mail: dzp@app.com.pl

1.4. <u>Emergency telephone number:</u> +48 (61) 437 00 00

Date of issue: 2023-08-10

# SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The mixture is not classified as hazardous
2.2. Label elements Labelling according Regulation (EC) No 1272/2008 Signal word:

**Pictogram:** 

-

## Hazard statement(s)

EUH208 Contains 2-Methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one, 2-octylisothiazol-3(2H)-one.. May produce an allergic re action

## **Precautionary statement(s)**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P333+ P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container according to local/regional/national/international regulations.

#### 2.3 Other hazards

Does not fulfil criteria of PBT and vPvB according to annex XIII 1907/2006

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

N.A.

#### 3.2. Mixtures

Hazardous components within the meaning of CLP regulation and related classification:

Name	Conc.	CAS No	Index No	EC No	Classification:	
2-metyloizotiazol-3(2H)-	<0,00015%	2682-20-4	613-326-00-9	220-239-6	GHS05; GHS06; GHS09	
on					AcuteTox3: H301	
<b>REACH: nie dotyczy</b>					AcuteTox2: H310	
					AcuteTox2: H330	
					SkinCor1B: H314	
					SkinSens1: H317	

		SAFETY DATA SHEET According Commission Regulation (EU) 2020/878							
AUTO-PLAST PRODUKT		Date of issue: 2023-08-10		APP for AD Leather Primer			Page 2 z 6		
	1,2-benzisothiazol-3(2H)- one REACH: not applicable	<0,0042%	2634-33-5	613-088-00-6	220-120-9	AquaticAcut M=1 AquaticChrpn M=1 EUH0 Specific concent Skin Sens. 1 A; 0,0015 GHS05; GHS0 AcuteTox4 AcuteTox3 SkinIrrit2 EyeDam1 SkinSens1 AquaticChron Specific concent Skin Sen H317: C ≥	0 nic1: H410 1 771 tration limit ; H317: C ≥ 5% 06; GHS07 4: H302 3: H302 3: H330 2: H315 : H318 : H317 te1:H400 nic2: H411 tration limit 1s. 1 ;		
	2-octylisothiazol-3(2H)- one REACH: not applicable	<0,0017%	26530-20-1	613-112-00-5	247-761-7	GHS05; GHS06; GHS07; AcuteTox3: H311 AcuteTox3: H331 AcuteTox4: H302 SkinCorr1B: H314 SkinSens1: H317 AquaticAcute1: H400 AquaticChronic1: H410 Specific concentration limit Skin Sens. 1 ; H317: C ≥ 0,05 %			

Full text of H-Phrases can be found under heading 16

#### **SECTION 4. FIRST AID MEASURES**

#### 4.1. Description of first aid measures

#### In case of skin contact:

Immediately take off all contaminated clothing. After contact with skin, wash immediately with soap and plenty of water. . In case of irritation, consult a doctor

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of

time. In case of irritation, consult an ophthalmologist. Remove Contact Lenses

#### In case of Ingestion:

Do not under any circumstances induce vomiting. Never give anything by mouth to an unconscious

person. Consult a doctor immediately and show him label or Safety Data Sheet.

#### In case of Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of respiration problems, consult a doctor immediately and show him label or Safety Data Sheet.

#### 4.2. Most important symptoms and effects, both acute and delayed:

Contains 2-Methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one, 2-octylisothiazol-3(2H)-one. May produce an allergic reaction

**4.3.** Indication of any immediate medical attention and special treatment needed

#### In case if ingestion consult a doctor.

Treatment:

None

#### **SECTION 5. FIRE-FIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

Extinguishing media which must not be used for safety reasons:

Water jet.

#### 5.2. Special hazards arising from the substance or mixture:

Toxic fumes may be evolved on burning or exposure to heat. Do not inhale explosion and combustion gases.





Date of issue: 2023-08-10

**APP for AD Leather Primer** 

# 5.3. Advice for fire-fighters

Fires in confined spaces should be dealt with by trained personnel warning approved air supplied brething apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

#### **6.2.** Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

#### 6.3. Methods and material for containment and cleaning up

Contain and recover liquid using sand or other suitable inert absorbent material.

Protect drains from potential spills to minimise contamination.

In case of spillage at sea, approved dispersants may be used where authorized by the appropriate

regulatory authority. In the event of spillages, contact the appropriate authorities.

#### **6.4. Reference to other sections**

See Section 8 for information on personal protection equipment.

## SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Prevent spillages. For comprehensive advice on handling, product transfer, storage and tank cleaning refer to the product supplier. For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. Avoid contact with eyes. Do not use on unclean skin.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store and use only in equipment/containers designed for use with the product. Containers must be properly labelled and kept closed when not in use. Do not remove warning labels from containers. Do not re-use container for any other product.

7.3. Specific end use(s)

None.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

N.A.

#### 8.2. Exposure controls

Wash hands during breaks and at the end of the work. Avoid contact with the eyes and unclean skin.

a) Eye or face protection: in case of frequent exposure, goggles or glasses that fit well to the face

b) Skin protection: The glove material must be impermeable and resistant to

the effect of the product/substance/preparation.

Selection of glove material taking into account penetration times, speed

permeation and degradation.

Glove material - Choosing the right glove does not depend only on

material, but also on other qualitative characteristics and several substances, is resistance

glove materials cannot be calculated in advance and therefore must

be checked before use.

Penetration time of glove material - From glove manufacturer

the exact breakthrough time must be found out and adhered to.

c) Respiratory protection: Not necessary if the room is well ventilated.

In case of short-term or low pollution, the filter device for

breathing; in case of intensive or prolonged exposure, use the device for

respiratory protection independent of the ambient air.

Environmental exposure control

Do not allow large amounts of undiluted product to enter drains, waters and waters soil.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

#### SAFETY DATA SHEET According Commission Regulation (EU) 2020/878



Date of issue: 2023-08-10

**APP for AD Leather Primer** 

Page 4 z 6

Appearance and colour: liquid, white Odour: characteristic Odour threshold: N.D. pH: 6,-8 Melting point / freezing point: <0°C Initial boiling point and boiling range: 100°C Upper/lower flammability or explosive limits: N.D. Vapour density: N.D. Flash point: >60°C Evaporation rate: N.A. Vapour pressure: N.D. Density: 1,03 g/ml Solubility in water: soluble Solubility in organic solvents: insoluble Lipid solubility: N.A. Partition coefficient (n-octanol/water): N.A. Ignition temperature: N.D. Auto-ignition temperature: N.D. Decomposition temperature: N.D. Viscosity : N.D. Explosive properties: none Oxidizing properties: not oxidizing 9.2. Other information

#### -

## SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity Mixture is not reactive. **10.2.** Chemical stability Stable under normal conditions of handling and storage. 10.3. Possibility of hazardous reactions None. 10.4. Conditions to avoid - heat - sparks - flame sources **10.5. Incompatible materials** - oxidants **10.6. Hazardous decomposition products** - toxic gases and fumes -carbon oxides nitrogen oxides

## SECTION 11. TOXICOLOGICAL INFORMATION

# **11.1. Information on toxicological effects**

a) acute toxicity: no hazard
b) skin corrosion/irritation: no hazard
c) serious eye damage/irritation: no hazard
d) respiratory or skin sensitization: Contains 2-Methylisothiazol-3(2H)-one, 1,2-benzisothiazol-3(2H)-one, 2-octylisothiazol-3(2H)-one.. May produce an allergic re action
e) germ cell mutagenicity: no hazard
f) carcinogenicity: no hazard
g) reproductive toxicity: no hazard
h) STOT-single exposure: no hazard
j) aspiration hazard: no hazard



SAFETY DATA SHEET According Commission Regulation (EU) 2020/878

APP for AD Leather Primer

11.2.1. Endocrine disrupting properties
no data
11.2.2. Other information
no data

#### SECTION 12. ECOLOGICAL INFORMATION

Date of issue: 2023-08-10

#### 12.1. Toxicity

The mixture is not classified as hazardous **12.2. Persistence and degradability** No data. **12.3. Bioaccumulative potential** No data. **12.4. Mobility in soil** No data **12.5. Results of PBT and vPvB assessment** vPvB Substances: None - PBT Substances: None **12.6. Endocrine disrupting properties** None **12.7. Other adverse effects** None

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations or if approved allowed to degrade in situ. Dispose of product and container carefully and responsibly. Do not dispose of near ponds, ditches, down drains or onto soil. Empty packages may contain some remaining product. Hazard warning labels are a guide to the safe handling of empty packages and should not be removed.

#### SECTION 14. TRANSPORT INFORMATION

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing Group

-

14.5. Environmental hazards

#### 14.6. Special Precautions for User

During handling wear personal protection equipment (see Section 8) Avoid heat and flame. **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** N.A.

#### SECTION 15. REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances). Dir. 99/45/EEC

(Classification, packaging and labelling of dangerous preparations). Dir. 98/24/EC (Risks related to chemical agents at work). Dir. 2000/39/EC (Occupational exposure limit values); Dir. 2006/8/CE. Regulation (CE) n. 1907/2006 (REACH), Regulation (CE) n.1272/2008 (CLP), Regulation (CE) n.790/2009.

#### Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

# 15.2. Chemical Safety Assessment

No



Date of issue: 2023-08-10

**APP for AD Leather Primer** 

# **SECTION 16. OTHER INFORMATION**

Full text of phrases referred to in Section 3:

- H301 Toxic if swallowed H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H331 Toxic if inhaled
- H315 Causes skin irritation
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to

the specific use intended.