#### SAFETY DATA SHEET According Commission Regulation (EU) 2020/878



Date of issue: 2023-08-10

**APP for AD Leather Solvent** 

Page 1 z 6

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. <u>Product Identifier</u> Trade name: **APP for AD Leather Solvent** Trade code: **220968** 

**1.2.** <u>Relevant identified uses of the substance/mixture and uses advised against</u> Leather varnish thinner

1.3. <u>Details of the supplier of the safety data sheet</u> Company: APP Sp. z o. o.

APP Sp. z o. o. ul. Przemysłowa 10, 62 – 300 Września Tel. +48 (061) 437 00 00 Fax. +48 (061) 437 91 37 Mail: <u>app@app.com.pl</u> WEB: <u>www.app.com.pl</u>

Safety Data Sheet e-mail: dzp@app.com.pl 1.4. Emergency telephone number: +48 (61) 437 00 00

Date of issue: 2023-08-10

# SECTION 2. HAZARDS IDENTIFICATION

**2.1. Classification of the substance or mixture** Classification according to Regulation (EC) No 1272/2008



Warning

H226 Flammable liquid and vapour H336 May cause drowsiness or dizziness

2.2. Label elements Labelling according Regulation (EC) No 1272/2008

Contains: 1-methoxypropan-2-ol **Signal word:** Warning

Pictogram:



## Hazard statement(s)

H226 Flammable liquid and vapour

H336 May cause drowsiness or dizziness

## **Precautionary statement(s)**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+ P361+ P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

AUTO-PLAST PRODUKT	SAFETY DATA SHEET According Commission Regulation (EU) 2020/878			
	Date of issue: 2023-08-10	APP for AD Leather Solvent	Page 2 z 6	
DC01 D' C / /		· • • • • • •		

P501 Dispose of contents/container to an authorised waste collection point.

### 2.3 Other hazards

Does not fulfil criteria of PBT and vPvB according to annex XIII 1907/2006 UN: 1263

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

## N.A.

3.2. Mixtures

Hazardous components within the meaning of CLP regulation and related classification:

Name	Conc.	CAS No	Index No	EC No	Classification:
<b>1-methoxypropan-2-ol</b> REACH: 01-2119457435-35	96-<100%	107-98-2	603-064-00-3	203-539-1	GHS02;GHS07 Flam.Liq.3: H226 STOTSE3: H336

Full text of H-Phrases can be found under heading 16

## SECTION 4. FIRST AID MEASURES

## 4.1. Description of first aid measures

#### In case of skin contact:

Immediately take off all contaminated clothing. After contact with skin, wash immediately with soap and plenty of water. . In case of irritation, consult a doctor

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of

time. In case of irritation, consult an ophthalmologist. Remove Contact Lenses

#### In case of Ingestion:

Do not under any circumstances induce vomiting. Never give anything by mouth to an unconscious

person. Consult a doctor immediately and show him label or Safety Data Sheet.

#### In case of Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of respiration problems, consult a doctor immediately and show him label or Safety Data Sheet.

## 4.2. Most important symptoms and effects, both acute and delayed

May cause drowsiness or dizziness

4.3. Indication of any immediate medical attention and special treatment needed

In case if ingestion consult a doctor.

#### Treatment:

None

#### SECTION 5. FIRE-FIGHTING MEASURES

## 5.1. Extinguishing media

#### Suitable extinguishing media:

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

Extinguishing media which must not be used for safety reasons:

Water jet.

5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.. The vapour is heavier than air, spreads along the ground and distant ignition is possible. Toxic fumes may be evolved on burning or exposure to heat. Do not inhale explosion and combustion gases.

#### **5.3.** Advice for fire-fighters

Fires in confined spaces should be dealt with by trained personnel warning approved air supplied brething apparatus. Water may be used to cool nearby heat exposed areas/objects/packages. Avoid spraying directly into storage containers because of the danger of boil-over. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6. ACCIDENTAL RELEASE MEASURES





Date of issue: 2023-08-10

**APP for AD Leather Solvent** 

Page 3 z 6

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

## **6.2.** Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

## 6.3. Methods and material for containment and cleaning up

Contain and recover liquid using sand or other suitable inert absorbent material. It is advised that stocks of suitable absorbent material should be held in quantities sufficient to deal with any spillage which may be reasonably anticipated. Recovery of large spillages should be effected by specialist personnel. Protect drains from potential spills to minimise contamination. Do not wash product into drainage system. Large and uncontained spillages should be smothered in foam to reduce the risk of ignition. The foam blanket should be maintained until the area is declared safe. Vapour is heavier than air and may travel to remote sources of ignition (e.g. along drainage systems, in basements, etc.). In the case of spillage on water, prevent the spread of product by the use of suitable barrier equipment. Recover product from the surface. Protect environmentally sensitive areas and water supplies. In case of spillage at sea, approved dispersants may be used where authorized by the appropriate regulatory authority. In the event of spillages, contact the appropriate authorities.

## 6.4. Reference to other sections

See Section 8 for information on personal protection equipment.

## SECTION 7. HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Avoid breathing vapours or contact with material. Only use in well ventilated areas. Wash thoroughly after handling. Air-dry contaminated clothing in a well-ventilated area before laundering. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. Use local exhaust ventilation if there is risk of inhalation of vapours. Prevent spillages. For comprehensive advice on handling, product transfer, storage and tank cleaning refer to the product supplier. For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.

## 7.2. Conditions for safe storage, including any incompatibilities

Store and dispense only in well ventilated areas away from heat and sources of ignition. Store and use only in equipment/containers designed for use with the product. Containers must be properly labelled and kept closed when not in use. Do not remove warning labels from containers. Do not re-use container for any other product. Empty packages may retain residual product; retain hazard warning labels on empty packages as a guide to their safe handling, storage and disposal. Do not introduce an ignition source. Heating may cause an explosion. Storage on solid, hydrocarbons-proof floor.

#### 7.3. Specific end use(s)

None.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

N.A.

## 8.2. Exposure controls

Wash hands during breaks and at the end of the work. Avoid contact with the eyes and unclean skin. a) Eye or face protection: in case of frequent exposure, goggles or glasses that fit well to the face

b) Skin protection: The glove material must be impermeable and resistant to

the effect of the product/substance/preparation.

Selection of glove material taking into account penetration times, speed permeation and degradation.

Glove material - Choosing the right glove does not depend only on

material, but also on other qualitative characteristics and several substances, is resistance

glove materials cannot be calculated in advance and therefore must

be checked before use.

Penetration time of glove material - From glove manufacturer

the exact breakthrough time must be found out and adhered to.

c) Respiratory protection: Not necessary if the room is well ventilated.

In case of short-term or low pollution, the filter device for

breathing; in case of intensive or prolonged exposure, use the device for

	SAFETY DATA SHEET According Commission Regulation (EU) 2020/878				
R AUTO-PLAST PRODUKT	Date of issue: 2023-08-10	APP for AD Leather Solvent	Page 4 z 6		
respiratory protection inde	pendent of the ambient air.				
Environmental exposure co	ontrol				

Do not allow large amounts of undiluted product to enter drains, waters and waters soil.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties Appearance and colour: liquid, colorless Odour: characteristic Odour threshold: N.D. pH: N.A. Melting point / freezing point: -97°C Initial boiling point and boiling range: 117°C Upper/lower flammability or explosive limits: N.D. Vapour density: N.D. Flash point: 35°C Evaporation rate: N.A. Vapour pressure: N.D. Density: 920kg/m<sup>3</sup> (15°C) Solubility in water: N.D. Solubility in organic N.D. Lipid solubility: N.A. Partition coefficient (n-octanol/water): N.A. Ignition temperature: N.D. Auto-ignition temperature: N.D. Decomposition temperature: N.A. Viscosity dyn.: N.D. Viscosity kin.: N.D. Explosive properties: can form an explisive mixture in air Oxidizing properties: not oxidizing 9.2. Other information

#### SECTION 10. STABILITY AND REACTIVITY

## 10.1. Reactivity

Mixture is not reactive. **10.2. Chemical stability** Stable under normal conditions of handling and storage. **10.3. Possibility of hazardous reactions** None. **10.4. Conditions to avoid** - solar radiation - sparks - flame - heat **10.5. Incompatible materials** - none **10.6. Hazardous decomposition products** None.

#### SECTION 11. TOXICOLOGICAL INFORMATION

# 11.1. Information on toxicological effects

a) acute toxicity: no hazard
b) skin corrosion/irritation: no hazard
c) serious eye damage/irritation: no hazard

d) respiratory or skin sensitization: no hazard

- e) germ cell mutagenicity: no hazard
- f) carcinogenicity: no hazard
- g) reproductive toxicity: no hazard
- h) STOT-single exposure: no hazard
- i) STOT-repeated exposure: May cause drowsiness or dizziness
- j) aspiration hazard: no hazard



SAFETY DATA SHEET According Commission Regulation (EU) 2020/878

Date of issue: 2023-08-10 APP for A

APP for AD Leather Solvent

11.2. Information on other hazards
11.2.1. Endocrine disrupting properties
- no data
11.2.2. Other information
- no data

## **SECTION 12. ECOLOGICAL INFORMATION**

12.1. Toxicity
The mixture is not classified as hazardous
12.2. Persistence and degradability
No data.

12.3. Bioaccumulative potential
No data.
12.4. Mobility in soil
No data
12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
12.6. Endocrine disrupting properties
None
12.7. Other adverse effects
None

## SECTION 13. DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

Dispose of via an authorised person/licensed waste disposal contractor in accordance with local regulations or if approved allowed to degrade in situ. Dispose of product and container carefully and responsibly. Do not dispose of near ponds, ditches, down drains or onto soil. Empty packages may contain some remaining product. Hazard warning labels are a guide to the safe handling of empty packages and should not be removed.

## SECTION 14. TRANSPORT INFORMATION

14.1. UN number 1263 14.2. UN proper shipping name Paint 14.3. Transport hazard class(es) 3 14.4. Packing Group Ш 14.5. Environmental hazards No 14.6. Special Precautions for User During handling wear personal protection equipment (see Section 8) Avoid heat and flame. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code N.A. Label: 3

## SECTION 15. REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture** Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances). Dir. 99/45/EEC (Classification, packaging and labelling of dangerous preparations). Dir. 98/24/EC (Risks related to chemical agents at work). Dir. 2000/39/EC (Occupational exposure limit values); Dir. 2006/8/CE. Regulation (CE) n. 1907/2006 (REACH), Regulation (CE) n.1272/2008 (CLP), Regulation (CE)

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)

15.2. Chemical Safety Assessment

n.790/2009.



Date of issue: 2023-08-10

**APP for AD Leather Solvent** 

Page 6 z 6

# SECTION 16. OTHER INFORMATION

Full text	of phrases referred to in Section 3:
H226	Flammable liquid and vapour
H336	May cause drowsiness or dizziness

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.