

APP TOM 2



Masking-Deflecting Tape, perforated stripe 9/11 mm

APP Nr 070305

APP TOM 2


Self-adhesive tape designed for masking and simultaneous deflecting of rubber car seals.

- 1 Paper
- 2 Adhesive
- 3 Backing
- 4 Two-part stripe



APP TOM 2

Masking-Deflecting Tape, perforated stripe 9/11 mm




PRODUCT	APP TOM	APP TOM 2
PRODUCT WIDTH	50 mm	
STRIPE WIDTH	available 3 types: 10 / 15 / 19 mm	9 / 11 mm
STRIPE THICKNESS	0,24 mm	0,12 mm
PERFORATED STRIPE	No	tak
STRIPE GAP	solid	2
PERFORATION	every 50 mm / 10 every 42 mm / 15 every 42 mm / 19	every 40 mm
PAPER	crepe	Impregnated and crepe
PAPER THICKNESS	0,12 mm	0,09 mm
KLEJ	Rubber	
RESISTANCE TO TEMPERATURE	120°C	
LINER		
	Greaseproof paper under glue	No
PAPER FOR REMOVAL	No	Yes 3 mm
PERFORATION FOR DETACHING		
	Easy detaching	
USES	Dedicated for: top seals / 10 middle depth seals / 15 deeply seated / 19	Top seals that adheres well to car body; one size for all seals
ELASTICITY	not as elastic as TOM 2	elastic, adaptable to shape and contours
GLUE	Strong	not as strong as TOM

Uses, Advantages:



REFERENCE USES:

- Masking and deflecting window seals,
- Masking and deflecting door seals,
- Masking roof seals,
- Masking lamps.



ADVANTAGES

+ Resistant to high temperatures, solvents and top coats used during painting.

+ Allows painting an element under the seal and prevents from overspray.

+ Easy detaching of edge and two widths available 9 mm or 11 mm.

+ Provided with perforation to facilitate detaching.

+ Resistant to high temperature (up to 120°C).

+ A white strip without adhesive facilitates removal of tape upon work completion.

Index	Name	Colour	Dimensions	Qty.
070305	APP TOM 2 - Masking-Deflecting Tape, perforated stripe 9/11 mm	Yellow	50 mm x 10 m	1