



Gun with replaceable spray kit for maintenance purposes





Gun with replaceable spray kit for maintenance purposes

# Design / Technical Data:



## Technical Data: NTools PK 2 KIT:

Nozzle	adjustment range 0-5 mm
Air inlet	quick fit coupling EURO 1/4 inch
Operating pressure	3.0 – 6.0 BAR
Body	Aluminum
Spray kit	Nylon

4 Bayonet system for spray kit assembly for quick change of worn and dirty tip,

5 Aluminium body strong and light

## 1 Adjustable nozzle

range 0 to 5 mm – for control over qty and mass of sprayed product

2 Spray kit

replaceable, made from Nylon, resistant to solvents

3 Suction hose

24 cm long, Ø8 mm



1

## **CONSUMABLE PARTS:**

Nr APP **110110ZN** NTools ZN 6 SET to NTools PK 2 KIT (set incl. 6 items.)

2

CAUTION!

In addition to gun NTools PK 2 KIT includes: two replaceable spray kits with two suction hoses.















APP Sp. z o.o.

ul. Przemysłowa 10, 62-300 Września Customer Service Department: Phone +48 61 437 00 20, bok@app.com.pl







07.11.2019





Gun with replaceable spray kit for maintenance purposes

## SAMPLE APPLICATIONS NTools PK 2 KIT:





automotive industry, repair workshops, industry, production plants









Gun with replaceable spray kit for maintenance purposes

# \* ADVANTAGES

## Easy to replace spray kit

with bayonet system for "CLICK" assembly



#### Adjustable nozzle 0-5mm

and mass of sprayed product



## Gun used for blowing

Gun may be used also for blowing to remove any dust before (when without spray kit)



### Strong and light body

Made from light aluminum, Set includes quick fit coupling EURO 1/4 inch.

APP No. 050702



## Dedicated for typical 1L containers

provided with 42 x 3 mm thread and standard height ca. 22 cm



## All Purpose

Compatible with most available preparations used for protection and maintenance.



# NTools PK 2 KIT APP No. 110110 is compatible with:

1					
APP No. 050099 – 050100	APP No. 050101-050103	APP No. 050110 – 050112	APP No. 050601	APP No. 050502	APP No. 050700
APP	APE APE	APP.	APF	APP	APP.
U 100	U 200 UBS	U 210 1	B 100 AUTOBIT	W 100 WAX	C 300 Predator
Propert do ochony various production of control production lambda distriction and control protection of the control protec	Preparat do ochrony stanseni przed udezenian stanseni Bone chip protection banechiag unterbodeschi Charceo gara saustri Vinca or yyapos sames	Pleases do activony served underseminary served underseminary makes analysis with the served served underseminary served underseminary served underseminary served underseminary served underseminary served under se	Present bit micery or severy recommendation Branch understand Protection Branch understand Branch unde	Please weakowy to storage cases Privage New sedendry Principol Backs unterbodeseche Backs unterbodeseche Session popularies Ses	X FU strukturalna prinska ochronna i SVP u Strukturalna prinska ochronna i SVP u Strukturalna prinska

The Passage of the Control of the Co	участво для защиты участ одня защиты участ одня одня одня одня одня одня одня одня	Treat of Prapper saluration Teaching was control of the Control of		en suprim macon	t and the second	6
APP U100 UBS	APP U200 UBS	APP U210 2w1	APP B100 Autobit	APP W100 WAX	APP C300 Predator 3:1	APP Tint Predator 3:1
Preparation protecting car body against stone related chippings	Preparation protecting car body against stone related chippings	Preparation protecting car body against stone related chippings + spray coat	Bituminous preparation for chassis protection, spray	Wax preparation for chassis protection	Two-component Polyurethane protective coating	Two-component Polyurethane protective coating
black / grey	black/grey/white	black / grey / white	black	anthracite	black	for tinting
1.00 kg	1.0 L	1.0 L	1.0 L	1.0 L	600 ml	600 ml

APP No.	Product Description	Package
110110	NTools PK 2 KIT - Gun with replaceable spray kit for maintenance purposes	1 item (body) +2 items (spray kits)
110110ZN	NTools ZN 6 SET - Replaceable spray kit dedicated to NTools PK 2 KIT	6 items (spray kits)

APP Sp. z o.o.

ul. Przemysłowa 10, 62-300 Września







07.11.2019

