

# NTools Fast LOCK System

APP No. 06FLK0040 - 06FLK0120, 06FLD0002,  
06FLW0001- 06FLW0003, 06FLU0002

## NTools Fast LOCK System

is a perfect solution for all applications where small items and hard-to-reach areas have to be treated.

A specially designed holder provides a very quick tool change in less than 5 seconds.

### *FAST LOCK - quick locking*

Main advantages  
NTools Fast LOCK:

- very fast tool change reducing downtime compared with tools with conventional mounting,
- one holder
- several different tools,
- ability to work in hard-to-reach areas,
- quick treatment of small items,
- compatible with Norton Speed-Lok and 3M Roloc.



## Tool types and their application:

**NTools**

PRELIMINARY

### NTools Fast LOCK KS

Blue sanding disc ø 50 mm

NTools No. 06FLK0040-  
-06FLK0120


abrasive discs covered with zirconium on a canvas lining intended for machining of all common used metals. Grain gradation range P40 - P120. Thanks to application of zirconium grit, its abrasive characteristics and efficiency are much higher in comparison to conventional electro corundum grain.

**A tool for aggressive grinding of steels and welds, removal of large excess materials during a coarse and intermediate machining and removal of spatter during welding.**

extremely abrasive

four gradations p40, p60, p80 and p120

maximum rotation speed: 20000 RPM



available in packs of 10 pcs in transparent cups with a lid and in a collective packaging of 100 pcs.



10 pcs.

COARSE MACHINING

### NTools Fast LOCK DS

Abrasive disc ø 50 mm

NTools No.  
06FLD0002

An open non-woven structure allows for aggressive treatment without lumping and gouging.

**Thick nylon fibre and very coarse grain is designed for: removal of various types of coatings including sealants, rust, weld spatter and scale, to be used before and after welding in order to prepare and clean the surface.**

does not clog up

extremely abrasive

flexibility and versatility of use

maximum rotation speed: 20000 RPM



available in packs of 5 pcs in transparent cups with a lid and in a collective packaging of 25 pcs.



5 pcs.

## Tool types and their application:

FINISHING WORK

### NTools Fast LOCK WS

Non-woven abrasive  $\varnothing$  50 mm

NTools No. 06FLW0001-06FLW0003

Non-woven abrasive material resistant to tearing by sharp edges, smoothing and cleaning without smudging.

Available in three grit variants:

- fine-grained (blue colour)
- medium-grained (red colour)
- coarse-grained (brown colour)



Intended for finishing work including removal of rust and coatings, cleaning castings, removal of contaminants and old seals, smoothing surface imperfections.

high elasticity

open fibre structure prevents clogging up the cloth

maximum rotation speed: 20000 RPM



available in packs of 5 pcs. in transparent cups with a lid and in a collective packaging of 50 pcs.



5 pcs.

### NTools Fast LOCK TM

Backing plate  $\varnothing$  50 mm with a thread  $\varnothing$  6 mm

NTools No. 06FLU002

Backing plate with thread NTools Fast LOCK System.

one holder for all tools for their quick replacement

compatible with 3M Roloc and Norton Speed-Lok

maximum rotation speed: 30000 RPM



available in packs of 2 pcs in transparent cups with a lid and in a collective packaging of 25 pcs.



2 pcs.



A grinder designed for NTools Fast LOCK:



## NTools PSK (APP nr 139102N)

Angle grinder

The angle mini-grinder is designed to grind metal, stone, wood and plastic. Perfect for sheet metal work. High-quality pneumatic motor. 6 mm thread holder. The set includes two wrenches and a compressed air connector.

APP No.	139102N
RPM	20000
Operating disc / mounting	1/4" (6 mm)
Weight	0,63 kg
Length	6,6" (168 mm)
Operating pressure	6,3 bar
Air connections	1/4"
Volume (DBA)	74,5



App no.	Product name	Gradation	Colour	Diameter	Packing	
06FLD0002	NTools Fast LOCK DS	Abrasive disc	black	ø 50 mm	5 pcs.	
06FLD0002B					25 pcs.	
06FLK0040	NTools Fast LOCK KS	Abrasive disk	P40	blue	ø 50 mm	10 pcs.
06FLK0040B						100 pcs.
06FLK0060	NTools Fast LOCK KS	Abrasive disk	P60	blue	ø 50 mm	10 pcs.
06FLK0060B						100 pcs.
06FLK0080	NTools Fast LOCK KS	Abrasive disk	P80	blue	ø 50 mm	10 pcs.
06FLK0080B						100 pcs.
06FLK0120	NTools Fast LOCK KS	Abrasive disk	P120	blue	ø 50 mm	10 pcs.
06FLK0120B						100 pcs.
06FLW0001	NTools Fast LOCK WS	Non-woven abrasive	fine-grained	blue	ø 50 mm	5 pcs.
06FLW0001B						50 pcs.
06FLW0002	NTools Fast LOCK WS	Non-woven abrasive	middle-grained	red	ø 50 mm	5 pcs.
06FLW0002B						50 pcs.
06FLW0003	NTools Fast LOCK WS	Non-woven abrasive	coarse-grained	brown	ø 50 mm	5 pcs.
06FLW0003B						50 pcs.
06FLU0002	NTools Fast LOCK TM	Backing place with thread	black	ø 50 mm	2 pcs.	
06FLU0002B					25 pcs.	

APP Sp. z o.o.

ul. Przemysłowa 10, 62-300 Września

Biuro Obsługi Klienta: tel. +48 61 437 00 20, bok@app.com.pl

[www.APP.com.pl](http://www.APP.com.pl)

19.07.2019 r. **EN**