



Date of issue: 2016-06-15

APP Egoist 50 ml

Page 1 z 7

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

**Company:** 

Trade name: APP Egoist 50ml Trade code: 220095

1.2. <u>Relevant identified uses of the substance/mixture and uses advised against</u> Car air freshener.

1.3. Details of the supplier of the safety data sheet

APP Sp. z o. o. ul. Przemysłowa 10, 62 – 300 Września Tel. +48 (061) 437 00 00 Fax. +48 (061) 437 91 37 Mail: <u>app@app.com.pl</u> Strona WEB: <u>www.app.com.pl</u>

Safety Data Sheet e-mail: Tomasz Gołda, t.golda@app.com.pl

1.4. <u>Emergency telephone number:</u> +48 (61) 437 00 00

**Date of issue:** 2016-06-15

#### SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

EUH208 Contains Linalool, Hexyl cinnamaldehyde, Benzyl salicylate, 2-(4-tert-butylbenzyl) propionaldehyde. May produce an allergic reaction

AquaticChronic3: H412 Harmful to aquatic life with long lasting effects 2.2. Label elements Labelling according Regulation (EC) No 1272/2008 Signal word:

**Pictogram:** 

#### Hazard statement(s)

EUH208 Contains Linalool, Hexyl cinnamaldehyde, Benzyl salicylate, 2-(4-tert-butylbenzyl) propionaldehyde. May produce an allergic reaction

H412 Harmful to aquatic life with long lasting effects

# **Precautionary statement(s)**

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P273 Avoid release to the environment.

P302+ P352 IF ON SKIN: Wash with plenty of water and soap.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

# 2.3 Other hazards

UN: 1266

Does not fulfil criteria of PBT and vPvB according to annex XIII 1907/2006

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1. Substances N.A. 3.2. Mixtures Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

Name Conc CAS No Index No EC No Classification:				
Name Conc. CAS NO Index NO EC NO Classification.	Name	Conc.	Index No	Classification:

	SATEFY DATA SHEET								
AUTO-PLAST PRODUKT	Date of issue: 2016-06-15		AP	'P Egoist 50 n	nl Page 2 z 7				
<b>Ethanol</b> REACH Reg. No: 01-2119457610-43	8-10%	64-17-5		5 7% 67 63 0 603 117 00 0 200 661 7 Eye		603-002-00-5	200-578-6	GHS02 Dgr Flam.Liq.2: H	225
<b>Propan-2-ol;</b> REACH Reg. No 01-2119457558-25	5-7%					GHS02;GHS07 Dgr FlamLiq2: H225 EyeIrrit2: H319 STOT SE3: H336			
1-(1,2,3,4,5,6,7,8- octahydro-2,3,8,8- tetramethyl-2- naphtyl)etan-1-on	<1%	54464-57-2		-	259-174-3	GHS09 AquaticChror	iic2: H411		
Ethylene brassylate	<1%	105-95-3		-	203-347-8	GHS07; GHS09Wng SkinIrrit2: H315 AquaticChronic2: H11			
Linalool	<0,5%	78-70-6		-	201-134-4	GHS07; Wng SkinIrrit2: H315 SkinSens1: H317 EyeIrrit2: H319			
Hexyl cinnamaldehyde	<0,5%	101-86-0		-	202-983-3	GHS07 Wng SkinSens1: H317			
[3R-(3α,3aβ,7β,8aα)]-1- (2,3,4,7,8,8hexahydro- 3,6,8,8-tetramethyl-1H- 3a,7-metanazulen-5- yl)etan-1-on	<0,25%	32388-55	-9	-	251-020-3	GHS09 AquaticAcute1: H400 AquaticChronic1: H410			
Benzyl salicylate	0,25%	118-58-1		-	204-262-9	GHS07; GHS Wng SkinIrrit2: H3 SkinSens1: H3 EyeIrrit2: H3 STOT SE3: H AquaticChror	815 317 19 335		

_A DD=		SATEFY DATA SHEET							
	AUTO-PLAST PRODUKT	Date of issue: 20	ate of issue: 2016-06-15		APP Egoist 50 ml			Page 3 z 7	
	α-methyl-1,3-benzodioxol- 5-propionaldehyde	<0,25%	1205-17-	0	-	214-881-6	GHS09 AquaticChror	nic2: H411	
	2-(4-tert-butylbenzyl) propionaldehyde	<0,25%	80-54-6		_	201-289-8	GHS07; GHS0 Dgr AcuteTox4: H SkinIrrit2: H3 SkinSens1: H3 AquaticChror	302 315 317	

Full text of R-Phrases and H-Phrases can be found under heading 16

#### SECTION 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

#### In case of skin contact:

Immediately take off all contaminated clothing. After contact with skin, wash immediately with soap and plenty of water. . In case of irritation, consult a doctor

#### In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of

time. In case of irritation, consult an ophthalmologist. Remove Contact Lenses

#### In case of Ingestion:

Do not under any circumstances induce vomiting. Never give anything by mouth to an unconscious person. Consult a doctor immediately and show him label or Safety Data Sheet.

#### In case of Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. In case of respiration problems, consult a doctor immediately and show him label or Safety Data Sheet.

#### 4.2. Most important symptoms and effects, both acute and delayed

Contains Linalool, Hexyl cinnamaldehyde, Benzyl salicylate, 2-(4-tert-butylbenzyl) propionaldehyde. May produce an allergic reaction

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### In case if ingestion consult a doctor.

#### **Treatment:**

None

#### SECTION 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable extinguishing media:

Use alcohol foam, carbon dioxide, or water spray when fighting fires involving this material.

#### Extinguishing media which must not be used for safety reasons:

Water jet.

#### 5.2. Special hazards arising from the substance or mixture

Toxic fumes may be evolved on burning or exposure to heat. Do not inhale explosion and combustion gases. **5.3.** Advice for fire-fighters

Water may be used to cool nearby heat exposed areas/objects/packages. Avoid spraying directly into storage containers because of the danger of boil-over. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.



Date of issue: 2016-06-15

APP Egoist 50 ml

SATEFY DATA SHEET

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

#### Retain contaminated washing water and dispose it.

#### 6.3. Methods and material for containment and cleaning up

Contain and recover liquid using sand or other suitable inert absorbent material. It is advised that stocks of suitable absorbent material should be held in quantities sufficient to deal with any spillage which may be reasonably anticipated. Recovery of large spillages should be effected by specialist personnel. Protect drains from potential spills to minimise contamination. Do not wash product into drainage system. Large and uncontained spillages should be smothered in foam to reduce the risk of ignition. The foam blanket should be maintained until the area is declared safe. Vapour is heavier than air and may travel to remote sources of ignition (e.g. along drainage systems, in basements, etc.). In the case of spillage on water, prevent the spread of product by the use of suitable barrier equipment. Recover product from the surface. Protect environmentally sensitive areas and water supplies. In case of spillage at sea, approved dispersants may be used where authorized by the appropriate regulatory authority. In the event of spillages, contact the appropriate authorities.

#### 6.4. Reference to other sections

See Section 8 for information on personal protection equipment.

#### SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Avoid breathing vapours or contact with material. Only use in well ventilated areas. Wash thoroughly after handling. Air-dry contaminated clothing in a well-ventilated area before laundering. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires. Use local exhaust ventilation if there is risk of inhalation of vapours. Prevent spillages. For comprehensive advice on handling, product transfer, storage and tank cleaning refer to the product supplier. For guidance on selection of personal protective equipment see Chapter 8 of this Material Safety Data Sheet. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store and dispense only in well ventilated areas away from heat and sources of ignition. Store and use only in equipment/containers designed for use with the product. Containers must be properly labelled

and kept closed when not in use. Do not remove warning labels from containers. Do not re-use container for any other product. Empty packages may retain residual product; retain hazard warning labels on empty packages as a guide to their safe handling, storage and disposal. Do not introduce an ignition source. Heating may cause an explosion. Storage on solid, hydrocarbons-proof floor.

**7.3. Specific end use(s)** None.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

N.A.+

#### 8.2. Exposure controls

Do not eat, drink or smoke while working. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. Eye protection: Wear face visor or goggles in circumstances where eye contact can accidentally occur. Protection for skin/hands: Gloves- in case of frequent exposure (vinyl, latex, nitryl) <u>Respiratory protection:</u> Well ventilated room. <u>Thermal Hazards:</u> None <u>Environmental exposure controls:</u> None

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance and colour: colourless liquid Odour: characteristic Odour threshold: N.D. pH: 6-8 Melting point / freezing point: N.D. Initial boiling point and boiling range:N.D. Upper/lower flammability or explosive limits: N.D.

# SATEFY DATA SHEET



Date of issue: 2016-06-15

APP Egoist 50 ml

Page 5 z 7

Vapour density: N.D. Flash point: >60°C Evaporation rate: N.A. Vapour pressure: N.D, Density: 1020 kg/m<sup>3</sup> (15°C) Solubility in water: slightly soluble in water Solubility in organic solvents: soluble in aromatic solvents Lipid solubility: N.A. Partition coefficient (n-octanol/water): N.A. Ignition temperature: 425°C Auto-ignition temperature: N.A. Decomposition temperature: N.A. Viscosity: N.D. Explosive properties: none Oxidizing properties: not oxidizing 9.2. Other information

#### SECTION 10. STABILITY AND REACTIVITY

10.1. Reactivity Mixture is not reactive. 10.2. Chemical stability Stable under normal conditions of handling and storage. 10.3. Possibility of hazardous reactions None. 10.4. Conditions to avoid - solar radiation - sparks - flame - heat **10.5.** Incompatible materials - oxidants 10.6. Hazardous decomposition products -carbon oxides - toxic gases and fumes

#### SECTION 11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects
Contains Linalool, Hexyl cinnamaldehyde, Benzyl salicylate, 2-(4-tert-butylbenzyl) propionaldehyde. May
produce an allergic reaction
a) acute toxicityno hazard
b) skin corrosion/irritation: no hazard
c) serious eye damage/irritation: no hazard
d) respiratory or skin sensitization: Contains Linalool, Hexyl cinnamaldehyde, Benzyl salicylate, 2-(4-tert-butylbenzyl)
propionaldehyde. May produce an allergic reaction
e) germ cell mutagenicity: no hazard
f) carcinogenicity: no hazard
g) reproductive toxicity: no hazard
h) STOT-single exposure: no hazard
i) STOT-repeated exposure: no hazard
j) aspiration hazard: no hazard

#### SECTION 12. ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Toxic to aquatic life with long lasting effects
12.2. Persistence and degradability
No data.
12.3. Bioaccumulative potential
No data.
12.4. Mobility in soil
No data
12.5. Results of PBT and vPvB assessment



vPvB Substances: None - PBT Substances: None 12.6. Other adverse effects None

Date of issue: 2016-06-15

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations or if approved allowed to degrade in situ. Dispose of product and container carefully and responsibly. Do not dispose of near ponds, ditches, down drains or onto soil. Empty packages may contain some remaining product. Hazard warning labels are a guide to the safe handling of empty packages and should not be removed.

# SECTION 14. TRANSPORT INFORMATION

14.1. UN number
1266
14.2. UN proper shipping name
Perfumery products with flammable solvents
14.3. Transport hazard class(es)
3
14.4. Packing Group
III
14.5. Environmental hazards
NO
14.6. Special Precautions for User
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances). Dir. 99/45/EEC (Classification, packaging and labelling of dangerous preparations). Dir. 98/24/EC (Risks related to chemical agents at work). Dir. 2000/39/EC (Occupational exposure limit values); Dir. 2006/8/CE. Regulation (CE) n. 1907/2006 (REACH), Regulation (CE) n.1272/2008 (CLP), Regulation (CE) n.790/2009.
Where applicable, refer to the following regulatory provisions : Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). 1999/13/EC (VOC directive)
15.2. Chemical Safety Assessment No

# SECTION 16. OTHER INFORMATION

Full text of phrases referred to in Section 3:H225 Hughly flammable liquid and vapourH301 Toxic if swallowedH302 Harmful if swallowedH315 Causes skin irritationH317 May cause an allergic skin reactionH318 Causes serious eye damageH319 Causes serious eye irritationH336 May cause drowsiness or dizzinessH400 Very toxic to aquatic lifeH410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

APP Egoist 50 ml

SATEFY DATA SHEET



Date of issue: 2016-06-15

APP Egoist 50 ml

Page 7 z 7